NOAA Technical Report NMFS 131 November 1997

LIBRARY

JAN 20 RECD

National Marine Fisheries Service
2570 Dole Street
Honolulu, Hawaii

A Photographic Catalog of Killer Whales, *Orcinus orca*, from the Central Gulf of Alaska to the Southeastern Bering Sea

Marilyn E. Dahlheim

NOAA
Tech.
Rept.
NMFS
131
c.1

U.S. Department of Commerce

U.S. DEPARTMENT OF COMMERCE

WILLIAM M. DALEY
SECRETARY

National Oceanic and Atmospheric Administration

D. James Baker
Under Secretary for
Oceans and Atmosphere

National Marine Fisheries Service

Rolland A. Schmitten
Assistant Administrator
for Fisheries

NOAA Technical Reports NMFS

Technical Reports of the *Fishery Bulletin*

Scientific Editor
Dr. John B. Pearce
Northeast Fisheries Science Center
National Marine Fisheries Service, NOAA
166 Water Street
Woods Hole, Massachusetts 02543-1097

Editorial Committee
Dr. Andrew E. Dizon National Marine Fisheries Service
Dr. Linda L. Jones National Marine Fisheries Service
Dr. Richard D. Methot National Marine Fisheries Service
Dr. Theodore W. Pietsch University of Washington
Dr. Joseph E. Powers National Marine Fisheries Service
Dr. Tim D. Smith National Marine Fisheries Service

Managing Editor
Shelley E. Arenas
Scientific Publications Office
National Marine Fisheries Service, NOAA
7600 Sand Point Way N.E.
Seattle, Washington 98115-0070

The *NOAA Technical Report NMFS* (ISSN 0892-8908) series is published by the Scientific Publications Office, National Marine Fisheries Service, NOAA, 7600 Sand Point Way N.E., Seattle, WA 98115-0070.

The Secretary of Commerce has determined that the publication of this series is necessary in the transaction of the public business required by law of this Department. Use of funds for printing of this series has been approved by the Director of the Office of Management and Budget.

The *NOAA Technical Report NMFS* series of the *Fishery Bulletin* carries peer-reviewed, lengthy original research reports, taxonomic keys, species synopses, flora and fauna studies, and data intensive reports on investigations in fishery science, engineering, and economics. The series was established in 1983 to replace two subcategories of the Technical Report series: "Special Scientific Report—Fisheries" and "Circular." Copies of the *NOAA Technical Report NMFS* are available free in limited numbers to government agencies, both federal and state. They are also available in exchange for other scientific and technical publications in the marine sciences.

NMFS Honolulu Library
00000000004848

LIBRARY
JAN 20 RECD
National Marine Fisheries Serv
2570 Dole Street
Honolulu, Hawaii

NOAA Technical Report NMFS 131
A Technical Report of the *Fishery Bulletin*

A Photographic Catalog of Killer Whales, *Orcinus orca*, from the Central Gulf of Alaska to the Southeastern Bering Sea

Marilyn E. Dahlheim

November 1997

U.S. Department of Commerce
Seattle, Washington

On the cover
Illustration of killer whales, *Orcinus orca*, by Katherine Zecca.

Suggested reference
M. E. Dahlheim. 1997. A photographic catalog of killer whales, *Orcinus orca*, from the central Gulf of Alaska to the southeastern Bering Sea. U.S. Dep. Commer., NOAA Tech. Rep. NMFS 130, 58 p.

Purchasing additional copies
Additional copies of this report are available for purchase in paper copy or microfiche from the National Technical Information Service, 5285 Port Royal Road, Springfield, VA 22161; 1-800-553-NTIS; http://www.ntis.gov.

Copyright law
Although the contents of the Technical Reports have not been copyrighted and may be reprinted entirely, reference to source is appreciated.

Proprietary products
The National Marine Fisheries Service (NMFS) does not approve, recommend, or endorse any proprietary product or proprietary material mentioned in this publication. No reference shall be made to NMFS, or to this publication furnished by NMFS, in any advertising or sales promotion which would indicate or imply that NMFS approves, recommends, or endorses any proprietary product or proprietary material mentioned herein, or which has as its purpose an intent to cause directly or indirectly the advertised product to be used or purchased because of this NMFS publication.

A Photographic Catalog of Killer Whales, *Orcinus orca*, from the Central Gulf of Alaska to the Southeastern Bering Sea

MARILYN E. DAHLHEIM

National Marine Mammal Laboratory
Alaska Fisheries Science Center
National Marine Fisheries Service, NOAA
7600 Sand Point Way N.E.
Seattle, Washington 98115

ABSTRACT

In 1992 and 1993, researchers from the National Marine Mammal Laboratory initiated photo-identification studies on Alaskan killer whales, *Orcinus orca*. Waters from Kodiak Island west to the central and eastern Aleutian Islands and southeastern Bering Sea were surveyed. A total of 289 individual whales were identified. A photographic record of the whales encountered during these surveys is presented. When photographs of the 289 individual whales were compared among various regions in Alaska (Prince William Sound and Southeast Alaska) and areas outside Alaska (British Columbia, Washington, and California), 11 matches were found. The count is conservative because the 1992 and 1993 surveys were limited in geographical range, restricted to summer periods, and whales may have been missed along the survey trackline. Future research incorporating both photo-identification studies and line transect surveys will provide reliable abundance estimates of Alaskan killer whales.

Introduction

There are few systematic survey data to estimate population abundance of killer whales (*Orcinus orca*) in Alaska. The National Marine Mammal Laboratory's (NMML) Platforms of Opportunity Program provides a 34-year record (1957–1991) of killer whale sightings throughout Alaska (Fig. 1). Although these data are valuable with respect to overall distribution of killer whales (Braham and Dahlheim, 1982), sightings were collected opportunistically and a dedicated search effort has been lacking. As a result, the sighting data are not useful for estimating population abundance or trends.

Leatherwood et al. (1983) report the results of eight aerial surveys conducted off Kodiak Island, from Unimak Pass westward along the Aleutian Islands, and between Unalaska Island and the Pribilof Islands. A total of 36 killer whale groups, totaling 236 individuals, were sighted. Abundance was not estimated because repeat sightings of the same pod(s) could not be distinguished from single sightings. Brueggeman (1987) flew 38,000 nautical miles (n mi) of aerial surveys from April to December 1985 in the Shumagin Islands, the North Aleutian Basin, and St. George Basin. A total of 25 groups (67 killer whales) were observed. Duplicate sightings were not considered, thus the actual number of killer whales seen was probably less.

Beginning in 1972, killer whale population biology was studied through the use of photo-identification techniques. This method was pioneered by Bigg and Balcomb when they showed that a combination of dorsal fin shape, nicks in the dorsal fin, shape of the saddle patch, and scars on the dorsal surface of the animal were specific to individual killer whales (Balcomb and Bigg, 1986; Bigg et al., 1987; Bigg et al., 1990). Thus, individual killer whales could be tracked both temporally and spatially through the collection of photographs (Olesiuk et al., 1990).

In the late 1970's, researchers in Alaska began collecting identification photographs of Prince William Sound killer whales (Hall, 1981). In 1984, Prince William Sound whales were first assigned to pods based on observed associations of individuals (Leatherwood et al., 1984). This resulted in the production of the first catalog of Prince William Sound killer whales (Ellis, 1984); the catalog was updated in 1987 (Ellis, 1987) and again in 1991 (Heise et al., 1991). In 1984, photographic studies on killer whales were also initiated in



Figure 1
Sightings of Alaskan killer whales from the National Marine Mammal Laboratory's Platform of Opportunity Program, 1957–91.

Southeast Alaska (Leatherwood et al., 1984) with photographs of individual killer whales from Southeast Alaska included in Ellis (1984, 1987). Although opportunistic photographs of killer whales were collected between the years 1985 through 1988 (Prince William Sound and Southeast Alaska), photo-identification research was limited in both areas. Between 1989 and 1997, researchers from the NMML carried out dedicated photo-identification research on killer whales throughout Alaskan waters. Although certain geographical regions were studied each year (e.g. Southeast Alaska), research in other regions was sporadic.

In 1992 and 1993, NMML initiated photo-identification studies on killer whales that occur from the central Gulf of Alaska west to the southeastern Bering Sea and eastern and central Aleutian Islands region (Fig. 2). The objectives of this particular study were to:

1. Develop a photographic identification catalog of all killer whales encountered.
2. Obtain a minimum count of killer whales in the southeastern Bering Sea, eastern/central Aleutian Islands region, and the western and central Gulf of Alaska.
3. Establish baseline data for designing protocol for estimating population abundance of killer whales in Alaska.
4. Develop a baseline of information for long-term studies of killer whales in Alaska.

This document provides a photographic record of each killer whale encountered during the 1992 and 1993 NMML investigations observed from the Central



Figure 2
Areas surveyed during 1992/1993 killer whale NMML investigations.

Gulf of Alaska west to the eastern/central Aleutian Islands and southeastern Bering Sea. It is not the intent of this document to report on the details of the scientific results of the Kodiak Island/Bering Sea study or present the photographic record of whales encountered in other Alaskan regions. These data are pending publication in separate documents.

Methods

When killer whales were encountered, two skiffs were launched (weather permitting) from the support vessel to obtain photographs of individual whales. Researchers aboard the skiff selected a course and speed to approximate that of the whales' to facilitate optimal photographic positioning. An approach within 20–30 m was required to obtain a high-quality photograph. Photographs were taken of the left side of the killer whale's dorsal fin and saddle patch. A Nikon 8008 (35 mm SLR) auto-focus camera was used. The camera was equipped with a motor drive and a 300 mm lens. The camera shutter speed was set to 1/2000th second. The film type selected allowed for a high shutter speed and good depth of field (e.g. black and white Fuji 1600).

Photographs were analyzed for individual killer whale identification. Obvious nicks or scarring on the saddle patch were noted (Fig. 3). Sub-standard photographs (i.e. not showing enough detail or improper angle/side) were discarded, thus reducing the probability of mis-identification or mis-matching photographs. Two independent readers reviewed the photographs to obtain the total number of individual whales. If independent readers disagreed with a particular identification (which was not the case in this study), another independent reader was asked to review the photograph in question. The minimum count was obtained by listing the number of individual whales photographed. Photographs of each whale identified during this study were then compared to the killer whale photographic database available from other regions (e.g. Prince William Sound [Heise et al., 1991; NMML[1]], Southeast Alaska [Dahlheim et al., 1997], British Columbia and Washington State [Bigg et al., 1987; Ford et al., 1994], and California [Black et al., In press]).

[1] National Marine Mammal Laboratory, Seattle, WA, unpublished data.

Results and Discussion

Based on the 1992 and 1993 surveys, 289 individual killer whales were identified.[2] Because the majority of whale groups were only encountered once during the 2-year survey, whales were not assigned to specific pods. Table 1 lists the identification numbers of the whale groups encountered during field operations (i.e. AK1 through AK4 were encountered as a group, AK5 through AK85 were encountered as a group). Because of the paucity of data available for each whale group (i.e. most whales seen only once), we did not attempt to classify the whales as "transient" or "resident" killer whales as described by Bigg et al., 1987.

When photographs of individual whales were compared among various regions in Alaska (Prince William and Southeast Alaska) and areas outside of Alaska (British Columbia, Washington, and California), 11 matches were found. Matches occurred between whales observed near Seward, Alaska (this study), and whales observed in Prince William Sound (Table 2). This is not surprising given that these two areas are only 35 n mi apart.

Despite considerable coverage during our investigations (i.e. approximately 5,000 n mi surveyed each year), few killer whales were encountered (289 individual whales documented). We suspect that the count is conservative because: 1) surveys were limited in geographical range, 2) surveys were restricted to the summer season, and 3) whales could have been present but missed along the survey trackline. However, the overall survey results obtained during the 1992 and 1993 investigations (i.e. relatively few whale groups encountered) are similar to those obtained by other investigators working in Alaska (Leatherwood et al., 1983; Brueggeman, 1987). Overestimation of killer whale abundance in the absence of systematic surveys may easily result because the same animals are repeatedly sighted at slightly different times or in different locations.



Figure 3
Various characters (e.g. nicks, saddle patch, scratches, etc.) used to identify individual killer whales.

[2] A match was found between AK173 and AK207 reducing the total number of whales from 290 to 289.

Acknowledgments

Surveys of this magnitude could not have been completed without the help of many people. I thank our survey crews and photographers for their many hours of effort: K. Balcomb-Bartok, T. Chandler, B. Caruso, K. Chumbley, D. Ellifrit, J. Evenson, C. Hutchinson, J. Jacobsen, J. Lerczak, B. Mathews, B. Miller, R. Osborne, R. Ream, T. Schall, J. Sease, F. Sharpe, J. Stern, M. Strick, J. Swenson, R. Towell, and J. Waite. My appreciation is extended to the captain (Jon Williams) and crew of the *F/V Brielyn Marie*, and the captain (Tom Crawford) and crew of the *R/V Glorita*. Panda Laboratories (Dana Drake) developed all film related to this project and produced the high quality 5 × 7 prints used in this

Table 1

Encounters with killer whales, *Orcinus orca*, off Kodiak Island, south side of the Alaska Peninsula, eastern and central Aleutian Islands, and the southeastern Bering Sea.

Date	Location	AK Number
1992		
7/12	Shelikof Strait	1–4
7/16	Chiswell Islands	5–85
7/17	Chiswell Islands	86–87
7/19	Portlock Banks	88–91
7/29	Shelikof Strait	92–95
8/4	Alaskan Peninsula	96–102
8/7	Unimak Pass	103–139
8/13	Amukta Pass	140–146
8/17	Bering Shelf	147–159
8/22	Unalaska Island	160–163
8/22	Unalaska Island	164–169
8/22	Unalaska Island	170–182
1993		
7/19	Albatross Banks	183–197
7/24	Pye Islands	198–200
8/16	Akutan Island	201–208
8/20	Bering Shelf	209–242
8/21	Unalaska Island	243–285
8/23	Bogoslof Island	286–290

Table 2

Photographic matches made of individual killer whales, *Orcinus orca*, between this study and Prince William Sound. No photographic matches were found when comparing whales observed during this study and whales photographed in Southeast Alaska, British Columbia, Washington, and California.

This study	Prince William Sound[1]
AK 34	AD 8
AK 36	AD 5
AK 37	AD21
AK 38	AD 4
AK 41	AD 2
AK 45	AD11
AK 48	AX19
AK 50	AX 8
AK 52	AX 1
AK 67	AX 6
AK 87	AT30

[1] See Heise et al., 1991.

catalog. Dave Ellifrit and Janice Waite conducted the analyses of the photographic data. Chris Boucher provided Figure 1. Bonnie Storm assisted in catalogue layout. The cover of this report was illustrated by Katherine Zecca (Graphics Unit, AFSC/NMFS). Howard Braham and Doug DeMaster provided valuable reviews of this report.

Literature Cited

Balcomb, K. C., and M. A. Bigg.
1986. Population biology of the three resident killer whale pods in Puget Sound and off southern Vancouver Island. *In* B. C. Kirkevold and J. S. Lockard (eds.), Behavioral biology of killer whales, p. 85–95. Zoo Biology Monographs, Vol. 1. Alan R. Liss, Inc., New York, N.Y.

Bigg, M. A., G. M. Ellis, J. K. B. Ford, and K. C. Balcomb.
1987. Killer whales: a study of their identification, genealogy and natural history in British Columbia and Washington State. Phantom Press and Publishers, Inc., Nanaimo, B. C., Canada, 79 p.

Bigg, M. A., P. F. Olesiuk, G. M. Ellis, J. K. B. Ford, and K. C. Balcomb.
1990. Social organization and genealogy of resident killer whales (*Orcinus orca*) in the coastal waters of British Columbia and Washington State. *In* P. S. Hammond, S. A. Mizroch, and G. P. Donovan (eds.), Individual recognition of cetaceans: use of photo-identification and other techniques to estimate population parameters, p. 386–406. Rep. Int. Whal. Comm., Special Issue 12.

Black, N. A., A. Shulman-Janiger, R. L. Ternullo, and M. Guerro-Ruiz.
In press. Killer whales of California and western Mexico: a catalog of photo-identified individuals. NOAA Tech. Memo. NMFS-F/SWFSC.

Braham, H. W., and M. E. Dahlheim.
1982. Killer whales in Alaska documented in the Platforms of Opportunity Program. Rep. Int. Whal. Comm. 32:643–646.

Brueggeman, J.
1987. Aerial surveys of endangered cetaceans and other marine mammals in the northwestern Gulf of Alaska and southeastern Bering Sea. Rep. to MMS and NOAA; OCSEAP Research Unit 673, Contract No. 85-ABC-00093, p. 4–73 to 4–83.

Dahlheim, M. E., D. K. Ellifrit, and J. D. Swenson.
1997. Killer whales of southeast Alaska: a catalogue of photo-identified individuals. Day Moon Press, Seattle, 79 p.

Ellis, G. M.
1984. Killer whales of Southern Alaska, a catalogue of individuals photo-identified in 1984. Hubbs Sea World Research Institute Tech. Rep. 84–176, 73 p.
1987. Killer whales of Prince William Sound and Southeast Alaska: a catalogue of individuals photo-identified, 1976–1986. Hubbs Sea World Research Institute Tech. Rep. 87-200, 76 p.

Ford, J. K. B., G. M. Ellis, and K. C. Balcomb.
1994. Killer whales: the natural history and genealogy of *Orcinus orca* in British Columbia and Washington State. UBC Press (Vancouver, B.C., Can.) and University of Washington Press (Seattle), 102 p.

Hall, J. D.
1981. Aspects of the natural history of cetaceans of Prince William Sound, Alaska. Ph.D. dissert., University of California Santa Cruz, 101 p.

Heise, K., G. Ellis, and C. Matkin.
1991. A catalogue of Prince William Sound killer whales. North Gulf Oceanic Society, Homer, Alaska, 51 p.

Leatherwood, S., A. Bowles, and R. Reeves.
1983. Endangered whales of the eastern Bering Sea and Shelikof Strait, Alaska; results of aerial surveys, April 1982 through April 1983 with notes on other marine mammal behavior. Hubbs Sea World Research Institute Tech. Rep. 83-159:173–182.

Leatherwood, S., K. C. Balcomb III, C. O. Matkin, and G. Ellis.
1984. Killer whales (*Orcinus orca*) in southern Alaska. Hubbs Seaworld Research Institute Tech. Rep. No.84-175, 54 p.

Olesiuk, P. F., M. A. Bigg, and G. M. Ellis.
1990. Life history and population dynamics of resident killer whales (*Orcinus orca*) in the coastal waters of British Columbia and Washington State, p. 209–243. *In* P. S. Hammond, S. A. Mizroch, and G. P. Donovan (eds.), Individual recognition of cetaceans: use of photo-identification and other techniques to estimate population parameters. Rep. Int. Whal. Comm., Special Issue 12.

AK1

AK2



AK3

AK4

AK5

AK6

AK7

AK8



AK9

AK10

AK11

AK12

AK13

AK14

AK15



AK16

AK17

AK18

AK19



AK20

AK21

AK22

AK23

AK24

AK25

AK26

AK27

AK28



AK29

AK30


AK31

AK32

AK33

AK34

AK35

AK36

AK37

AK38

AK39

AK40

AK41


AK42

AK43

AK44

AK45

AK46

AK47


AK48

AK49

AK50

AK51

AK52

AK53


AK54

AK55

AK56

AK57



AK58

AK59

AK60

AK61

AK62

AK63

AK64

AK65

AK66

AK67

AK68

AK69

AK70

AK71

AK72

AK73

AK74

AK75

AK76



AK77

AK78

AK79

AK80

AK81



AK82

AK83

AK84

AK85

AK86



AK87

AK88



AK89

AK90

AK91

AK92

AK93

AK94

AK95

AK96

AK97

AK98

AK99

AK100

AK101

AK102

AK103

AK104

AK105

AK106

AK107

AK108

AK109

AK110

AK111

AK112

AK113


AK114

AK115

AK116

AK117

AK118

AK119

AK120

AK121

AK122

AK123

AK124

AK125

AK126

AK127

AK128

AK129

AK130

AK131



AK132

AK133

AK134

AK135

AK136

AK137

AK138

AK139

AK140

AK141

AK142


AK143


AK144

AK145

AK146

AK147

AK148

AK149

AK150

AK151


AK152

AK153

AK154

AK155

AK156

AK157

AK158

AK159

AK160

AK161

AK162

AK163

AK164

AK165

AK166

AK167

AK168

AK169

AK170

AK171

AK172

An internal match was found.
AK173 equals AK207.

AK174


AK175


AK176

AK177

AK178

AK179

AK180

AK181

AK182

AK183

AK184

AK185

AK186

AK187


AK188

AK189

AK190

AK191

AK192

AK193

AK194

AK195


AK196

AK197

AK198


AK199


AK200


AK201


AK202

AK203

AK204

AK205

AK206

AK207

AK208

AK209

AK210 AK211 AK212

AK213

AK214

AK215

AK216



AK217

AK218

AK219

AK220

AK221

AK222

AK223

AK224

AK225

AK226

AK227

AK228



AK229



AK230


AK231

AK232

AK233

AK234

AK235

AK236

AK237

AK238

AK239

AK240

AK241

AK242

AK243

AK244

AK245

AK246

AK247

AK248

AK249

AK250

AK251

AK252

AK253


AK254

AK255

AK256

AK257

AK258

AK259

AK260


AK261


AK262

AK263

AK264

AK265


AK266


AK267

AK268

AK269

AK270

AK271

AK272

AK273

AK274

AK275

AK276

AK277

AK278

AK279

AK280


AK281

AK282


AK283

AK284

AK285

AK286


AK287

AK288

AK289

AK290

NOAA Technical Reports NMFS

Technical Reports of the *Fishery Bulletin*

Guide for Contributors

Preparation

Title page should include authors' full names and mailing addresses and the senior author's telephone and FAX number.

Abstract should not exceed one double-spaced typed page. It should state the main scope of the research but emphasize its conclusions and relevant findings. Because abstracts are circulated by abstracting agencies, it is important that they represent the research clearly and concisely.

Text must be typed double-spaced throughout. A brief introduction should portray the broad significance of the paper; the remainder of the paper should be divided into the following sections: **Materials and methods, Results, Discussion** (or **Conclusions**), and **Acknowledgments**. Headings within each section must be short, reflect a logical sequence, and follow the rules of multiple subdivision (i.e. there can be no subdivision without at least two items). The entire text should be intelligible to interdisciplinary readers; therefore, all acronyms, abbreviations, and technical terms should be spelled out the first time they are mentioned. The scientific names of species must be written out the first time they are mentioned; subsequent mention of scientific names may be abbreviated. Follow the *U.S. Government Printing Office Style Manual* (1984 ed.) and the *CBE Style Manual* (5th ed.) for editorial style, and the most current issue of the *American Fisheries Society's Common and Scientific Names of Fishes from the United States and Canada* for fish nomenclature. Dates should be written as follows: 11 November 1991. Measurements should be expressed in metric units, e.g., metric tons as (t); if other units of measurement are used, please make this fact explicit to the reader. The numeral one (1) should be typed as a one, not as a lower-case el (l).

Text footnotes should be numbered with Arabic numerals and typed on a separate sheet of paper. Footnote all personal communications, unpublished data, and unpublished manuscripts with full address of the communicator or author, or, as in the case of unpublished data, where the data are on file. Authors are advised to avoid references to nonstandard (gray) literature, such as internal, project, processed, or administrative reports, wherever possible. Where these references are used, please include whether they are available from NTIS (National Technical Information Service) or from some other public depository.

Literature cited comprises published works and those accepted for publication in peer-reviewed literature (in press). Follow the name and year system for citation format. In the text, cite Smith and Jones (1977) or (Smith and Jones, 1977). If there is a sequence of citations, list chronologically: Smith, 1932; Green, 1947; Smith and Jones, 1985. Abbreviations of serials should conform to abbreviations given in *Serial Sources for the BIOSIS Previews Database*. Authors are responsible for the accuracy and completeness of all citations.

Tables should not be excessive in size and must be cited in numerical order in the text. Headings should be short but ample enough to allow the table to be intelligible on its own. All unusual symbols must be explained in the table heading. Other incidental comments may be footnoted with italic numerals. Use asterisks for probability in statistical data. Because tables are typeset, they need only be submitted typed and formatted, with double-spaced legends. Zeros should precede all decimal points for values less than one.

Figures include line illustrations and photographs (or slides) and must be cited in numerical order in the text. Unless photographs are submitted on glossy paper with good contrast, we cannot guarantee a good final printed copy. Figures are to be labeled with author's name and number of figure. Use Times Roman font (upper and lowercase letters) to label within figures. Avoid vertical lettering except for y-axis labels. Zeros should precede all decimal points for values less than one. Figures may be submitted as computer software files (along with laser-printed copies), as photomechanical transfers (PMTs), or as high quality photographic prints. Send only xerox copies of figures to the Scientific Editor; original figures will be requested later when the manuscript has been accepted for publication. Figure legends should explain all symbols and abbreviations and should be double-spaced on a separate page at the end of the manuscript.

Copyright law does not cover government publications; they fall within the public domain. If an author reproduces any part of a government publication in his work, reference to source is considered correct form.

Submission

Send printed copies (original and two copies) to the Scientific Editor:

Dr. John B. Pearce, Scientific Editor
Northeast Fisheries Science Center
National Marine Fisheries Service, NOAA
166 Water Street
Woods Hole, MA 02543-1097

Once the manuscript has been accepted for publication, you will be asked to submit a software copy of your manuscript to the Managing Editor. The software copy should be submitted in *WordPerfect* text format (or in standard ASCII text format if *WordPerfect* is unavailable) and should be placed on a 5.25-inch or 3.5-inch disk that is double-sided, double or high density, and that is compatible with either DOS or Apple Macintosh systems.

Copies of published articles and notes are available free of charge to the senior author (50 copies) and to his or her laboratory (50 copies). Additional copies may be purchased in lots of 100 when the author receives page proofs.

UNITED STATES
DEPARTMENT OF COMMERCE
NATIONAL OCEANIC AND ATMOSPHERIC
ADMINISTRATION
NATIONAL MARINE FISHERIES SERVICE
SCIENTIFIC PUBLICATIONS OFFICE
BIN C15700
SEATTLE, WA 98115
OFFICIAL BUSINESS

Penalty for Private Use, $300

BULK RATE
POSTAGE & FEES PAID
U.S. Department of Commerce
Permit No. G-19

NOAA SCIENTIFIC AND TECHNICAL PUBLICATIONS

The National Oceanic and Atmospheric Administration was established as part of the Department of Commerce on October 13, 1970. The mission responsibilities of NOAA are to assess the socioeconomic impact of natural and technological changes in the environment and to monitor and predict the state of the solid Earth, the oceans and their living resources, the atmosphere, and the space environment of the Earth.

The major components of NOAA regularly produce various types of scientific and technical information in the following kinds of publications:

PROFESSIONAL PAPERS—Important definitive research results, major techniques, and special investigations.

CONTRACT AND GRANT REPORTS—Reports prepared by contractors or grantees under NOAA sponsorship.

ATLAS—Presentation of analyzed data generally in the form of maps showing distribution of rainfall, chemical and physical conditions of oceans and atmosphere, distribution of fishes and marine mammals, ionospheric conditions, etc.

TECHNICAL SERVICE PUBLICATIONS—Reports containing data, observations, instructions, etc. A partial listing includes data serials; predictions and outlook periodicals; technical manuals, training papers, planning reports, and information serials; and miscellaneous technical publications.

TECHNICAL REPORTS—Journal quality with extensive details, mathematical developments, or data listings.

TECHNICAL MEMORANDUMS—Reports of preliminary, partial, or negative research or technology results, interim instructions, and the like.

Information on availability of NOAA publications can be obtained from:

U.S. Department of Commerce
National Technical Information Service
5285 Port Royal Road
Springfield, VA 22161

☆ U.S. GOVERNMENT PRINTING OFFICE: 1997- PROG/2057-S/40011